INDEX

aberrations
  segregation, 243, 244, 253
  X-chromosome, 200-201, 203-209, 211
abscission layer, 428
acentric, 385, 386 *sqq.* 394-401
Achillea, 382
acquired character, 152
adaptation, 37, 40, 69, 152, 287
adenine, 243, 251, 252-253, 256, 433, 434
agamospermy, 432
Aleurodiscus, 295
allelism, 1, 3, 4, 5, 9, 10, 11, 91
allelomorphs, 310 *sqq.*, 333, 357 *sqq.*, 377 *sqq.*, 433, 434
Allen, 69
Allium, 122, 392
alpha-propionic acid, 421
Altenburg, E., 153-185
Altenburg, L. S., 153-185
amphibians, 120
analytical methods, 290
Aneilema, 141
angora in rabbit, 107 *sqq.*
anthesis, 422 *sqq.*
anthropology, 282-285
antibodies, 283, 284
antigen, 283-284, 291, 354
apomixis, 431
apple-pear hybrids, 420-429
Arabis, 306
ascospore formation, 243, 244, 246, 248 *sqq.*
ascus deviants, 297
Aspergillus, 177, 420-429, 434
Auerbach, C., 294
auto-segregation, 431
auxin, 427

backcrossing, 16, 17, 18, 107-110, 271, 435
bacteria, 35 *sqq.*, 39-41, 43-44, 52-58
Bacterium prodigiosum, 177
Barber, 431
Barbosa, D., 227
barley, 351, 428
basidium, 295
Bateman, A. J., 305-332
Bateson, W., 280
bee, 70
Bell, J., 147
Bergmann, 69
Bessel function, 188
biochemical character, 79
biometrical analysis, 151
Biot, 285
biotin, 434
biotypes, 296, 432
blood groups in man, 68, 150, 282-285
  polyploid cells, 121
body size in *Drosophila*, 435
  in mouse, 275-278
  weight in mouse, 275, 276
bollworms, see *Diparopsis*
Bonnier, G., 199-210
Brassica, 305
breeding system, 9, 11, 365
brevistylis in *Œnothera*, 125 *sqq.*
Bridges, 280
Brock, R. D., 409-420, 421-429
Brunswick, 295
Buchholz, A., 289
bud pollination, 3
Butler, L., 275-278
Butlerov, 289

cabbage, 305
Cain, A. J., 286, 287
Callan, H. G., 152
Campanula, 141
Campelia, 141
Canavalia, 140
cancer, 117, 120-122, 149, 280
  in man, 118
  in mouse, 120, 121
  in rat, 120
Capsella, 10, 305
Cardamine, 305
Carica, 141
Catcheside, D. G., 125-137
centromere, 389 *sqq.*, 433
chaeta number, 13 *sqq.*
chemical phenotype, 377
  protection, 207
Chi squared, 50, 110, 132, 208, 213, 216-219 249, 250
chiasma formation, 133-134, 141
  frequency, 152, 294, 410
chimera, 301, 421
Chlamydomonas, 295
chromosome aberrations, 200, 207, 217, 221, 414
  breakability, 211-223
  breaks, 199, 207, 208, 211-222, 292, 385-407
  constancy, 117-124
  fifth, in rabbit, 107-116
  maps, 243, 433
  pairings, 127-129, 131-136
  systematics, 431
chromosomes, 117, 279, 293
  somatic, 117
  spermatozoan, 199, 206, 207, 209
  sex, 117, 151
Cienfugosia, 228, 229
Clifford, H. T., 259-269, 434

clines, 69, 71, 287
clinical genetics, 149
  medicine, 282-285
clover, see *Trifolium*
coat colour dilution, 275-278
Cocks, B., 13-34
coefficient of variation, 26, 372
Colias, 69
Commelinaceæ, 145
comparative genetics, 327
compatibility, 1 *sqq.*, 358
complementary control, 252
  genotype, 316
Compositæ, 1, 305
Comstock, R. E., 365-376
Coprinus, 295
copulation of diploid cells, 255
correlated effects, 370
correlation of characters, 32
corolla tube, 70
Cosmos, 1-11, 327
Costus sericeus, 139
cotton, 225
covariance analysis, 26, 27
Crepis, 1, 4, 9, 10, 11, 328, 389
Crosby, J. L., 152
cross-over, 89, 103, 104, 109, 110-113, 189, 253, 273, 294, 410 *sqq.*, 433
crossbreeding, 259
cross-incompatibility, 329
crossing technique, 246
Crowe, L. K., 1-11, 357-363, 434
Cruciferæ, 305
cryptogam, 295
cultigen, 231
culture methods, 14, 16, 36-37, 47, 80, 82
cytochrome bands, 81
cytodemes, 432
cytological markers, 401
cytoplasm, 434
cytoplasmic bodies, 147
  effects, 435
  environment, 333, 353
  heredity, 147, 296
  proteins, 148

Daday, H., 61-78, 377-384
Dalton, J., 287
Darlington, C. D., 279, 290
Darwin, 279, 285, 287, 289, 305, 431
De la Bathie, P., 232
Deol, M. S., 291
deviation, occasional, 248
  systematic, 248
dicentric, 404
Dickie, M. M., 271-273
differentiation, 415
dilution in mouse, 275
Diparopsis, 228, 229, 239
disease resistance, 150
dissociation, 53
Dobzhansky, T., 287

dominance, 1-11, 17, 333-356, 435
  degrees, 368
  relations, 311, 327
  variance, 365, 369 *sqq.*
Drosophila, 13-34, 153-185, 199-210, 211-223, 289-290, 338, 351, 352, 382, 434, 435
  embryonic development, 153
  special stocks, 159
Dubinin, 290
dwarf colony, 79-88

economics, 289
Edmondson, M., 153-185
education, 282
egg cytoplasm, 199, 219
  hatchability, 292
  organisation, 148
Ellenby, C., 434
Elliot, C. G., 294
embryo sac, 412-418, 422-424
embryos, fish, 120
  mouse, 120
endometrium, 117-118, 122
endomitosis, 255
Endymion non-scriptus, 294
energy levels 207-208
environment, 13, 22, 23, 61, 64-68, 101, 150, 152, 288, 346
enzymes, 252, 293, 377 *sqq.*
Ephrussi, B., 79, 82, 147
epistasis, 333, 374
Erophila, 431
Erysimum, 306
Escherichia coli, 177, 178
ethoxy-caffeine, 385
Eucalyptus, 259 *sqq.*
euchromatin, 148, 386, 396
evolution, 68-72, 279, 281, 286-287

Falconer, D. S., 151
fermenting ability, 246
Fernandes, 431
fertilisation, 424
fertility in *Lilium*, 409-420
field distribution, 259, 260, 262
Fincham, J. R. S., 293
fish embryos, 120
Fisher, Sir R. A., 89, 187-197, 276, 283, 284, 337
fixation methods, 139, 422
flagella in *Salmonella*, 292
Flanders, 293
flocculent growth, 243
flower number, 338 *sqq.*
Fonbrune's micromanipulator, 79, 85
Ford, C. E., 386
fowl, 291
Freud, 280
Funaria, 295
Fungi, 149, 169, 433

galactose, 244 *sqq.*
Galeopsis, 350 *sqq.*
gametophyte, 1, 434
gene action, 333
  arrangement, 382, 383
  complexes, 159
  conversion, 244
  environment interaction, 333-356, 372
  expression, 13, 28
  frequency, 61, 64-78, 377-384
  interactions, 324
  order, 293
  segregations, 251-254
  structure, 434, 435
genes, 280, 281
  in enzyme production, 61, 67, 293
genetic correlations, 373
  ecology, 431
  factors, 13, 23
  pathways, 352-354
  segregation, 43, 57, 125, 130, 135, 137
  structure, 379-382
  techniques, 158-160
genic environment, 333
genotype, 291
geographical variation, 68-72, 234
germplasm, 279
Gilmour, D. G., 291
Glass, D. U., 288
Gloger, 69
glucose, 79
glucoside, 61, 377, 378 *sqq.*
Glushchenko, I. E., 295
Godward, M. B. E., 293
gonadial mosaicism, 93, 99, 101
Gossypium, 225 *sqq.*
Gowen, 150
grading of material, 41, 49
Green, 433
growth factors, 245-247, 253, 256, 293
Gudjonsson, 431
Guignard test, 377
Gulbekian, 221
gynandromorph, 205 214

hair pigment, 383
hairless, 15-33
Hanna, 295
haploid, 299, 301, 415
Hardy-Weinberg formula, 62, 64, 72, 377, 380
Helsinki, 306
Herskowitz, I. H., 289
Heslop-Harrison, J., 431
heterochromatin, 148, 220, 386, 396
heterogeneity tests, 62
heterogenic tracts, 188, 190, 191, 194-196
heterokaryons, 293
heteromorphic plants, 1, 10
heterosis, 333, 336, 374
heterothallism, 243
heterozygosity, 152, 291, 335-336
Hollingsworth, M. J., 292
Homo sapiens, 97, 118-119, 282
  cancer, 118
  twins, 149, 288
  uterus, 117, 118, 122
homogeneity test, 23
homomorphic plants, 1
homothallism, 243
homozygotes, 333-335
honey bee, see bee
Hooker, 285
hormone-induced hybrids, 420-429
Hottinguer H., 82, 243-258
house mouse, see mouse
Howard, A., 291
Hutchinson, J. B., 225-241
Huyghens, 284
Hyacinthus, 411
hybrid, 248, 254, 264, 266, 268, 269, 420-429, 434
  in *Lilium*, 409-420
  swarms, 259-269
  vigour, 365, 435
hybridity, 152
  coefficient, 410
hyperploid males, 200

Iberis amara, 305-332
identity tests, 98
illumination, 170
immuno-hematology, 282-285
inbred line, 276-278, 291, 292, 435
inbreeding, 151, 187-197, 269, 278, 338
incompatibility, 1, 35, 360, 422, 434
  in *Angiosperms*, 305-332
  in *Prunus*, 357-363
indo-phenoloxidase, 81
infertility, 277
inflorescence, 339 *sqq.*
infrabar eye, 338
infra-red irradiation, 207
interchange, 135
inter-family tests, 316, 327
intersex, 205
intragenic changes, 211-214, 220-221
irradiation, 151, 197-210, 211-223, 293
isogenic line, 435
isolates, 55, 57
isotherms, 64-69

James, W. O., 428
Janaki Ammal, E. K., 430
jerker, 291
junctions, theory of, 187-197

Kafer, E., 433
Kallmann, F. J., 288
karyotypes, 432
Kelton, D. E., 271-273
Kleczkowska, J., 36, 39, 43
Kniep, 295

Landsteiner, 283
Laskowski, W., 79-88
Lavoisier, 285
leaf characters, 70, 367
legal medicine, 282-285
Leibnitz, 284
Lepeschinskaya, 289
Lepidium, 306
lethals, 151, 158 *sqq.*, 211, 212, 214, 220, 221
Leupold, U., 82, 243-258
Levine, 283
Lewis, D., 333-356 357-363, 435
Lewis, E. B., 434
Life, Facts of, 279-282
Liliaceæ, 294, 409-420, 421
linamarase, 61, 377
Lindegren, C., 299
linkage, 17, 32, 97, 101, 125, 148, 248, 264, 278, 374
  in the mouse, 271
  in the rabbit, 107-115
Linnaeus, 431
Linum, 10
litter size, 291
Löve, 431
Luning, K. G., 199, 202, 211-223
Lycopersicon, 338 *sqq.*, 342, 349, 354
Lyell, 285
Lysenko, 289
Lythrum, 10

McLaren, A., 291
McLeish, J., 385-407
maize, 389
  cob length, 266
  pollen, 169, 170, 177
maleic hydrazide, 385
Malthus, 288, 289
mammalian uterus, 117-124
man, see *Homo*
Mann, T. J., 365-376
Manton, I., 431
markers, 215, 244-248, 255, 385, 401, 433
Marx, 280
Mather, K., 151, 337
mating, 17, 48, 50, 54
  groups, 2-7, 11
  response, 301
  types, 193, 245
medicine, 149
megaspore, 422 *sqq.*
meiosis, 133, 152, 244, 294, 410, 422, 433
melanin, 383
melibiose, 244
Melicocca, 140
Mendel, 280
Mendelian law, 295-304
menstruation, 118
mental disorder, 288
methionine, 243, 251-254
Meyer, H. U., 153-185
Michie, D., 291
Michurin, 289
microdissection, 82, 84, 85
micronuclei, 385, 386 *sqq.*, 394-401
micro-organisms, 147-149
Microtus agrestis, 118, 119, 122
Mielnicky, A., 118
mitosis, 118-122, 293, 302, 388 *sqq.*, 412, 433
modifiers, 30, 70
Morgan, T. H., 280, 295
mosaicism, 93, 205
Mourant, 283
mouse, 30, 89 *sqq.*, 162-163, 218-220, 291
  chromosomes, 195
  embryos, 120
  polyploid embryos, 120
  selection, 151
Muller, H. J., 153-185, 280, 289, 290
multiple allelism, 97, 99, 101, 284
  genes, 243, 248, 251
Mus musculus, see mouse
Musa, 141
mustard gas, 294
mutagenic action, 79-85
  efficiency, 165, 169, 173, 175, 181
mutant clusters, 154-156, 162, 164-168, 172, 178, 180
  cytoplasmic, 86
  frequencies, 361-362
  genes, 13, 14, 18, 22, 28, 33, 125, 359, 435
  processes, 199-210
  respiration deficient, 79, 87
  runs, see clusters
  spontaneous, 82, 84, 86
  types, 361-362
mutation, 79-88, 151, 153-185, 435
  in *Prunus*, 357-363
  rates, 151, 153-185
  revertible, 362

Nadi's reaction test, 81, 84
natural selection, 13, 69, 70, 150, 282, 287, 299
Nematode, 434
Neurospora, 170, 178, 293, 295
newt, 152
Newton, 284
Nicotiana, 1, 3, 6, 7, 9, 10, 307, 338, 342, 349, 352, 354, 365 *sqq.*
nitrogen fixation, 35, 36, 50
nodule isolates, 38
nucellus, 422
nuclear co-operation, 399
nucleo-cytoplasmic relations, 147-149
nucleolar organisers, 386, 396
Nutman, P. S., 35-46, 47-60
nutrition, 435

Œnothera, 1, 9, 10, 125, 357, 359, 361, 432, 434
œstrus cycle, 117-119, 122

Oparin, 289
ophthalmology, 150
O'Sullivan, J., 118
oxygen tension, 207

Paramecium, 148, 354
Parnell, 229
Parthenium, 1, 4, 9, 10, 11, 328
parthenocarpic fruit, 421 *sqq.*
Partula, 69
Passiflora, 140
Pasteur, 285
Pavlov, 289
pear-apple hybrids, 420-429
Pearson, 229
Pedro, G., 228
perennials, 231
Peters, 283
Petunia, 351
phenotype, 61-62, 72
phenotypic equivalence, 89, 100, 104
  stability, 333-356
photorepair, 174-175, 176, 179
physiological balance, 353
picric acid test, 377
pig, 120
pigment formation, 245, 252-253, 256, 434
Planansky, 288
plant height, 367
  parasite, 434
plasmagenes, 280
pleiotropy, 32, 275-278
Plumbaginaceæ, 305
Podospora, 148
Poisson series, 188, 292
pollen, 120, 125, 140
  behaviour, 1, 9
  fertility, 409
  maize, 169, 170, 177
  tube growth, 422 *sqq.*
pollination, 2, 70, 306 *sqq.*
polydactyly, 147, 271
polygenes, 17, 20, 23, 30, 31, 276
polygenic character, 333
  system, 13-34
polymeric genes, 243
polyploid cells, 121-123
  embryos, 120
  segregation, 244, 254-256
polyploidy, 244, 254, 296, 415, 421
Pomoideæ, 421
Pontecorvo, G., 433, 434
populations, 64, 72, 287, 288, 329, 377
Priestley, 284, 285
Primula, 1, 10, 351
Pritchard, R. M., 433
progeny test, 43, 47, 206
proline, 434
Prunus, 10, 357
Pryor, 329
pseudo-allelomorphs, 434
  fertility, 5
psychiatry, 150, 288
Purser, A. F., 435
Pyrus, 421

quantitative inheritance, 151, 365
Quintanilha, A., 295
Quixote, D., 283

rabbit, 107, 120
Race, 283, 434
radiation, 153
radish, 305
raffinose, 243, 397
Rattus norvegicus, 118
Raut, 79
Read, H., 280
reciprocal crossing, 4-7
recombinant genotypes, 254
recombination fraction, 107-112, 115-116
  value, 132, 134, 136
regression analysis, 20, 22, 27
  coefficient, 67
resistance to tuberculosis, 288
reversion, 84
Rh factor, 97, 282, 285-286
Rhizobium trifolii, 35, 36, 38
  strains, 36, 37, 38, 39
Rifaat, O. M., 107-116
Roberts, C., 295-304
Robinson, H. F., 365-376
rogue tomato, 148
root nodules, 35, 47, 50, 53, 54
  tips, 139
Roux, 280
Rozi, 227, 230
Russian literature, 289

S-alleles, 310 *sqq.*, 357 *sqq*, 435
  complex, 434
  genotype, 357
Saccharomyces, see yeast
Sachs, L., 117-124
Salmonella, 292
Sampford, M. R., 292
Sang, J. H., 435
Schizosaccharomyces, 243, 254
Schofield, 147
Scilla non-scripta, 294
Scitaminaceæ, 145
Scrophulariaceæ, 305
scute, 13-33
seed, 2, 418-420
segregation, 243-258, 269, 276, 291, 295
selected lines, 345
selection, 79, 174, 237, 291
  experiment, 40, 41, 42
  factor, 87
  germinal, 294
  in mouse, 151
  response, 151, 287
self compatibility, 2, 325, 358, 434
sensitivity patterns, 294

seriation, 20, 27 *sqq.*
serology, 282
Sesbania, 140
sex-linked lethals, 199, 206, 209
  recessives, 17
sex-ratio, in man, 147
  mouse, 291
  Nematode, 434
Shull, G. H., 125
sib mating, 187, 189, 196, 291
" sifter " stock, 159, 160, 163, 180
significance tests, 151
Simmonds, N. W., 139-146
Sisymbrium, 306
Skalinska, 431
Smith, J. M., 292
Smith, P., 271-273
Snell, G. D., 271-273
Solanaceæ, 305
Sorenson, 431
Sorghum, 399
Sorsby, A., 149
species concept, 238, 287
specificity of strains, 51
spectroscopy, 86
Spemann, 280
spermatozoa, 151, 211-223
Spirogyra, 293
spontaneous mutations, 357
sporophytic control, 311
sporulation, 246, 254
stability factor, 334 *sqq.*
  of strains, 54
Stadler, L. J., 434
statistical analysis, 151, 162, 206, 275
Stebbins, 431
sterility, 125, 292
Stern, C., 431
Stocker, B. A. D., 292
Strelitzia, 140, 141
Strickland, 433
Sturtevant, A. H., 280
subdiploid variation, 117, 118, 120-121
sucrose fermentation, 243
superdominance, 336-338
symbiosis, 35, 36-39
synchronisation, 415
syndactyly, 147
synergid, 412, 422
synthesising ability, 246
systematics, 286, 431

Taraxacum, 431
Tephrosia, 140
tetrad, 249-250, 253, 254
  analysis, 295-304, 433
tetraploid, 139, 256, 415, 421, 435
tetrazolium chloride, 79-88
Thornton, H. G., 36, 39
Timiriazev, 289
Timoféeff-Ressovksy, 290
Tischler, 431
tobacco, see *Nicotiana*
tomato, see *Lycopersicon*
topoclines, 432
Tradescantia, 177, 207, 416
transduction, 292, 293
transfusion reaction, 283, 285
translocations, 152
Trichophyton, 169, 170
Trifolium, 1, 10, 35-46, 47-60, 61-78, 377-384
triploidy, 139-140, 244, 415, 421
trisomics of *O. blandina*, 126-129
  in yeast, 244
Triturus, 152
tropical plants, 139-146
tryptophane, 249, 251
tuberculosis resistance, 288
Turesson, 431
Turrill, W. B., 431
twin studies, human, 149, 288

ultra-violet dose, 153-185
Uvularia, 399
uracil, 252 *sqq.*
Ustilago, 295
uterus, mammalian, 117, 118

variability, 22, 32, 70, 98, 263, 333, 365
variance, 365, 369 *sqq.*
variation, continuous, 13
  in *Bacteria*, 35-36
  in host, 35-36
viability, 220
Vicia, 385, 389 *sqq.*
viruses, 147, 280

Wallace, 285
Wallace, M. E., 89-105
webbed toes, 147
Weismann, 279
Wettstein, 295
Wexler, 283
Whitbread, S., 289
Wiener, A. S., 282
Williams, R. D., 61, 63, 67, 71
Winge, Ø., 295-304, 431
Woolf, B., 151

X-radiation, 197-210, 294, 357
Xanthosoma, 139
xerophyte, 231

Yates, F., 151
yeast, 79-88, 148, 212, 243-258, 295
yellow, 199 *sqq.*
Yu, 238

Zea mays, see maize
Zebrina, 141
Zenker's fluid, 302

PRINTED IN GREAT BRITAIN BY OLIVER AND BOYD LTD., EDINBURGH